

AIP HONG KONG

I

Serial Number	Path Descriptor	Waypoint Identifier	Fly- over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (KIAS)	Navigation Specification
01	CF	HH421	-	248 (245)	+3.0	-	-	-	+205	RNP 1
02	TF	HH422	-	215 (212)	+3.0	3.0	-	-	-	RNP 1
03	TF	HH423	-	160 (157)	+3.0	6.0	-	-	@230	RNP 1
04	TF	VANPU	-	144 (141)	+3.0	4.5	-	-9000	-	RNP 1
05	TF	HH484	-	105 (102)	+3.0	7.6	-	-	-	RNP 1
06	TF	HH485	-	068 (065)	+3.0	4.7	-	+FL130	-	RNP 1
07	TF	HH486	-	068 (065)	+3.0	6.3	-	+FL140	-	RNP 1
08	TF	HH487	-	037 (034)	+3.0	10.0	-	-	-	RNP 1
09	TF	ANRUX	-	003 (000)	+3.0	11.8	-	-	-	RNP 1
10	TF	BEKOL	-	325 (322)	+3.0	7.0	-	+4800m	-	RNP 1

## FMC Database Coding Reference for Hong Kong RNAV(GNSS) SID

## WAYPOINT LIST

BEKOL 2F RWY 25R								
Waypoint Identifier	Coordinates (WGS-84)							
HH421	22 15 31.13N	113 44 09.41E						
HH422	22 12 58.53N	113 42 27.41E						
HH423	22 07 26.10N	113 44 59.40E						
VANPU	22 03 57.95N	113 48 03.85E						
HH484	22 02 23.21N	113 56 01.92E						
HH485	22 04 19.90N	114 00 35.87E						
HH486	22 06 56.32N	114 06 43.85E						
HH487	22 15 17.49N	114 12 46.60E						
ANRUX	22 27 05.73N	114 12 41.76E						
BEKOL	22 32 36.00N	114 08 00.00E						